

PUBLICATIONS

- 2008** Downs, S.M. and J. Chen. 2008. EGF-like peptides mediate FSH-induced maturation of cumulus cell-enclosed mouse oocytes. *Mol. Reprod. Dev.*, 75:105-114.
- Chen, J. and S. Downs. 2008. AMP-activated protein kinase is involved in hormone-induced mouse oocyte meiotic maturation *in vitro*. *Dev. Biol.*, 313:47-57 (published online in fall of 2007).
- 2007** LaRosa, Cean and S.M. Downs. 2007. Meiotic induction by heat stress in Mouse oocytes: involvement of AMP-activated protein kinase and MAPK family members. *Biol. Reprod.*, 476-485.
- 2006** Downs, S.M., R. Gilles, C. Vanderhoef, P.G. Humpherson, and H.J. Leese. 2006. Differential response of cumulus cell-enclosed and denuded mouse oocytes in a meiotic induction model system. *Mol. Reprod. Dev.* 73: 379-389.
- Chen, J., E. Hudson, M.M. Chi, A.S. Chang, K.H. Moley, G.D. Hardie and S.M. Downs. 2006. AMPK regulation of mouse oocyte meiotic resumption *in vitro*. *Dev. Biol.*, 291:227-238.
- Downs, S.M. and J. Chen. 2006. Induction of meiotic maturation in mouse oocytes by adenosine analogs. *Mol. Reprod. Dev.*, 73:1159-1168.
- 2005** LaRosa, C. and S.M. Downs. 2005. MEK inhibitors block AICAR-induced maturation in mouse oocytes by a MAPK-independent mechanism. *Mol. Reprod. Dev.* 70: 235-245.
- LaRosa, C. and S.M. Downs. 2005. Stress stimulates adenosine monophosphate-activated protein kinase and meiotic resumption in mouse oocytes. Publ. Online 10.1095/*Biolreprod.*, 105.046904.
- 2004** Colton, S.A. and S.M. Downs. 2004. A potential role for the sorbitol pathway in the meiotic dysfunction exhibited by oocytes from diabetic mice. *J. Exp. Zool.* 301A:439-448.
- 2003** Downs, S.M. and A. Verhoeven. 2003. Glutamine and the maintenance of meiotic arrest in mouse oocytes: influence of culture medium, glucose and cumulus cells. *Mol. Reprod. Dev.*, 66:90-97.
- Colton, S.A., P.G. Humpherson, H.J. Leese and S.M. Downs. 2003. Physiological changes in oocyte-cumulus cell complexes from diabetic mice that potentially influence meiotic regulation. *Biol. Reprod.*, 69:761-770.

PUBLICATIONS (continued)

- 2002** Colton, S.A., G.M. Pieper and S.M. Downs. 2002. Altered meiotic regulation in oocytes from diabetic mice. *Biol. Reprod.*, 67:220-231.
- Downs, S.M., P.G. Humpherson and H.J. Leese. 2002. Pyruvate utilization by mouse oocytes is influenced by meiotic status and the cumulus oophorus. *Mol. Reprod. Dev.*, 62:113-123.
- Downs, S.M., E.R. Hudson and D.G. Hardie. 2002. A potential role for AMP-activated protein kinase in meiotic induction in mouse oocytes. *Dev. Biol.* 245:200-212.
- 2001** Downs, S.M., J. Cottom and M. Hunzicker-Dunn. 2001. Protein kinase C and meiotic regulation in isolated mouse oocytes. *Mol. Reprod. Dev.*, 58:101-115.
- Downs, S.M., B. Ruan and G.J. Schroepfer, Jr. 2001. Meiosis-activating sterol and the maturation of isolated mouse oocytes. *Biol. Reprod.*, 64:80-89.
- Downs, S.M. 2001. A gap-junction-mediated signal, rather than an external paracrine factor, predominates during meiotic induction in isolated mouse oocytes. *Zygote*, 9:71-82.
- 2000** Downs, S.M. and E.D. Hudson. 2000. Energy substrates and the completion of spontaneous meiotic maturation. *Zygote*, 8:339-351.
- 1999-2000** Downs, S.M. 1999. Adenosine blocks hormone-induced meiotic maturation by suppressing purine *de novo* synthesis. *Mol. Reprod. Dev.*, 56:172-179.
- 1998-99** Downs, S.M. 1999. Uptake and metabolism of adenosine mediate a meiosis-arresting action on mouse oocytes. *Mol. Reprod. Dev.*, 53:208-221.
- 1997-98** Downs, S.M., P.G. Humpherson and H.J. Leese. 1998. Substrate utilization and maturation of cumulus cell-enclosed mouse oocytes: evidence that pyruvate oxidation does not mediate meiotic induction. *J. Reprod. Fert.*, 110:1-10.
- Downs, S.M., P.G. Humpherson and H.J. Leese. 1998. Meiotic induction in cumulus cell-enclosed mouse oocytes: involvement of the pentose phosphate pathway. *Biol. Reprod.* 58, 1084-1094.
- Downs, S.M. 1998. Precursors of the purine backbone augment the inhibitory action of hypoxanthine and dibutyryl cAMP on mouse oocyte maturation. *J. of Exper. Zool.*, 282:376-384.
- Downs, S.M. 1997. Hypoxanthine regulation of oocyte maturation in the mouse: insights using hypoxanthine phosphoribosyltransferase-deficient animals. *Biol. Reprod.*, 57:54-62.
- 1996-97** Dienhart, M.K., M.J. O'Brien, and S.M. Downs. 1997. Uptake and salvage of hypoxanthine mediates developmental arrest in preimplantation mouse embryos. *Biol. Reprod.* 56: 1-13.
- Downs, S.M. and A.M. Mastropolo. 1997. Culture conditions affect meiotic regulation in cumulus cell-enclosed mouse oocytes. *Mol. Reprod. Dev.* 46: 551-566.
- Downs, S.M. 1997. Involvement of purine nucleotide synthetic pathways in gonadotropin-induced meiotic maturation in mouse cumulus cell-enclosed oocytes. *Mol. Reprod. Dev.* 46: 155-167.

- Dienhart, M.K. and S.M. Downs. 1996. Cyclic AMP reversal of hypoxanthine-arrested preimplantation mouse embryos is EDTA-dependent. *Zygote* 4: 129-137.
- 1995-96** Downs, S.M., P.G. Humpherson, K.L. Martin and H.J. Leese. 1996. Glucose utilization during gonadotropin-induced meiotic maturation in cumulus cell-enclosed mouse oocytes. *Mol. Reprod. Dev.* 44:121-131.
- Downs, S.M. and M. Hunzicker-Dunn. 1995. Differential regulation of oocyte maturation and cumulus expansion in the mouse oocyte-cumulus cell complex by site-selective analogs of cyclic adenosine monophosphate. *Dev. Biol.*, 172:72-85.
- 1994-95** Downs, S.M. 1995. The influence of glucose, cumulus cells, and metabolic coupling on ATP levels and meiotic control in the isolated mouse oocyte. *Dev. Biol.* 167, 502-512.
- Downs, S.M. 1994. Induction of meiotic maturation in vivo in the mouse by IMP dehydrogenase inhibitors: Effects on the developmental capacity of ova. *Mol. Reprod. Dev.* 38, 293-302.
- 1993-94** Downs, S.M. and Mastropolo, A.M. 1994. The participation of energy substrates in the control of meiotic maturation in murine oocytes. *Dev. Biol.* 162, 154-168.
- Downs, S.M. 1994. High performance liquid chromatography analysis of hypoxanthine metabolism in mouse oocyte-cumulus cell complexes: effects of purine metabolic perturbants. *Biol. Reprod.* 50,1403-1412.
- 1992-93** Downs, S.M. 1993. Purine control of mouse oocyte maturation: Evidence that nonmetabolized hypoxanthine maintains meiotic arrest. *Molec. Reprod. Dev.*, 35:82-94.
- Downs, S.M. 1993. Factors affecting the resumption of meiotic maturation in mammalian oocytes. *Theriogenology*, 39:65-79.
- Fagbohun, C.F. and S.M. Downs. 1992. Requirement for glucose in ligand-stimulated meiotic maturation of cumulus cell-enclosed mouse oocytes. *J. Reprod. Fert.*, 96:681-697.
- Downs, S.M., R. Buccione, and J.J. Eppig. 1992. Modulation of meiotic arrest in mouse oocyte by guanyl nucleotides and modifiers of G proteins. *J. Exp. Zool.*, 262:391-404.
- 1991-92** Fagbohun, C.F. and S.M. Downs. 1991. Metabolic coupling and ligand-stimulated meiotic maturation in the mouse oocyte cumulus cell complex. *Biol. Reprod.*, 45:851-859.
- Downs, S.M., M.P.D. Dow, and C.F. Fagbohun. 1991. The meiotic response of cumulus cell-enclosed mouse oocytes to follicle-stimulating hormone in the presence of different macromolecules. *J. Exp. Zool.*, 258:373-383.
- Downs, S.M. and M.P.D. Dow. 1991. Hypoxanthine-maintained two-cell block in mouse embryos: dependence on glucose and effect of hypoxanthine phosphoribosyl transferase inhibitors. *Biol. Reprod.*, 44:1025-1039.
- 1990-91** Downs, S.M. 1990. Stimulation of parthenogenesis in mouse ovarian follicles by inhibitors of IMP dehydrogenase. *Biol. Reprod.*, 43:427-436.
- Downs, S.M. 1990. Protein synthesis inhibitors prevent both spontaneous and hormone-induced maturation of isolated mouse oocytes *in vitro*. *Molec. Reprod. and Develop.*, 27:235-243.
- 1989-90** Downs, S.M. 1989. Specificity of epidermal growth factor action on maturation of the murine oocyte and cumulus oophorus *in vitro*. *Biol. Reprod.*, 41:371-379.

Fagbohun, C.F. and S.M. Downs. 1990. Maturation of the mouse oocyte-cumulus cell complex: stimulation by lectins. *Biol. Reprod.*, 42:413-423.

PUBLICATIONS (continued)

At Marquette

- 1988-89** Downs, S.M., S.A.J. Daniel, E.A. Bornslaeger, P.C. Hoppe and J.J. Eppig. 1989. Maintenance of meiotic arrest in mouse oocytes by purines: modulation of cAMP levels and cAMP phosphodiesterase activity. *Gamete Res.*, 23:323-334.
- 1987-88** Downs, S.M., S.A.J. Daniel and J.J. Eppig. 1988. Induction of maturation in cumulus cell-enclosed mouse oocytes by follicle-stimulating hormone and exoperidermal growth factor: Evidence for a positive stimulus of somatic cell origin. *J. Exp. Zool.* 245:86-96.
- Eppig, J.J. and S.M. Downs. 1988. Gonadotropin-induced murine oocyte maturation *in vivo* is not associated with decreased cyclic adenosine monophosphate in the oocyte-cumulus cell complex. *Gamete Res.*, 20:125-131.
- Downs, S.M. and J.J. Eppig. 1987. Induction of mouse oocyte maturation *in vivo* by perturbants of purine metabolism. *Biol. Reprod.*, 36:431-437.
- Eppig, J.J. and S.M. Downs. 1987. The effect of hypoxanthine on mouse oocyte growth and development *in vitro*: Maintenance of meiotic arrest and gonadotropin-induced oocyte maturation. *Dev. Biol.*, 119:313-321.
- Downs, S.M., D.L. Coleman and J.J. Eppig. 1986. Maintenance of murine meiotic arrest: Uptake and metabolism of hypoxanthine and adenosine by cumulus cell-enclosed and denuded oocytes. *Dev. Biol.*, 117:174-183.
- Downs, S.M., A.C. Schroeder and J.J. Eppig. 1986. Serum maintains the fertilizability of mouse oocytes matured *in vitro* by preventing hardening of the zona pellucida. *Gamete Res.*, 15:115-122.
- Downs, S.M., A.C. Schroeder and J.J. Eppig. 1986. The developmental capacity of mouse oocytes following maintenance of meiotic arrest *in vitro*. *Gamete Res.*, 15:305-316.
- Downs, S.M. and J.J. Eppig. 1985. A follicular fluid component prevents gonadotropin reversal of cyclic adenosine monophosphate-dependent meiotic arrest in murine oocytes. *Gamete Res.*, 11:83-97.
- Downs, S.M., D.L. Coleman, P.F. Ward-Bailey and J.J. Eppig. 1985. Hypoxanthine is the principal inhibitor of murine oocyte maturation in a low molecular weight fraction of porcine follicular fluid. *Proc. Nat'l. Acad. Sci. USA*, 82:454-458.
- Downs, S.M. and J.J. Eppig. 1984. Cyclic AMP and ovarian follicular fluid act synergistically to inhibit mouse oocyte maturation. *Endocrinology*, 114:418-427.
- Eppig, J.J. and S.M. Downs. 1984. Chemical signals that regulate mammalian oocyte maturation. *Biol. Reprod.*, 30:1-11.
- Downs, S.M. and F.J. Longo. 1983. An ultrastructural study of preovulatory apical development in mouse ovarian follicles: Effects of indomethacin. *Anat. Rec.*, 205:159-168.
- Downs, S.M. and F.J. Longo. 1983. Prostaglandins and preovulatory follicular maturation in mice. *J. Exp. Zool.*, 228:99-108.
- Downs, S.M. and F.J. Longo. 1982. Effects of indomethacin on preovulatory follicles in immature, superovulated mice. *Am. J. Anat.*, 164:265-274.